


| WOVEN PATTERNS | GRADE | VINYL PATTERNS | GRADE |
|----------------|-------|-----------------------|-------|
| Adler | 3 | Chambray | 5 |
| Archetype | 2 | Impression | 5 |
| Clarity | 4 | Kaleidoscope | 6 |
| Connelly | 2 | Linette | 3 |
| Couture | 3 | Patriot Plus | 3 |
| Dorset | 2 | Silvertex | 5 |
| Echo | 4 | Twist | 4 |
| Evoke | 3 | Whisper | 4 |
| Open House | 2 | | |
| Phrase | 3 | POLYURETHANE PATTERNS | GRADE |
| | | Castillo | 3 |
| | | Dillon | 2 |
| | | | _ |

OPEN HOUSE | 100% RECYCLED | GRADE 2 BLACK NAVY BIRCH RED DELICIOUS COFFEE BEAN GREEN APPLE WINE GRAPHITE ASTEROID COBALT THE COLORS GRAY AND GOLD ARE NOT SHOWN ABOVE BUT ARE CURRENTLY CARDED AND WILL BE STOCKED AND AVAILABLE UNTIL MID-2020. ARCHETYPE | i -CLEAN | GRADE 2











ADMIRAL

























COUTURE | 82% RECYCLED | GRADE 3












CLARITY | CRYPTON | 63% RECYCLED| GRADE 4



PHRASE | 100% RECYCLED | GRADE 3













DILLON | POLYURETHANE | GRADE 2

































PATRIOT PLUS | VINYL | GRADE 3











SILVERTEX | VINYL | GRADE 5











CASTILLO | POLYURETHANE | GRADE 3











BATIK METAL

LINETTE | VINYL | GRADE 3













TWIST | PVC | GRADE 4





INDIGO





CHAMBRAY | VINYL | GRADE 5











IMPRESSION | PVC | GRADE 5











KALEIDOSCOPE | VINYL | GRADE 6







SAFFRON





MARSH

FOAM

SMOKEHOUSE

Technical Information

Express Selections - Woven

| Pattern | Fiber Content & Backing | Finish | Approx. Repeats | Abrasion (D.R.) | Lightfastness | Flammability* | Cleaning Code |
|------------|---|---|--------------------|-----------------|----------------------|---|------------------|
| ADLER | 100% Polyester Acrylic Backing | Teflon [®] | 5.75" V, 4.625" H | 50,000 | 60 Hrs. Grade 4.5 | CAL TB 117-2013 NFPA 260 | WS |
| ARCHETYPE | 79% Polyester, 21% Rayon 100% Polyester Non-Woven Scrim Backing | i-clean™ | (none) | 75,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I UFAC Class I | W |
| CLARITY | 63% Post Consumer Recycled Polyester, 37% Antimony-Free Polyester Crypton® Green Moisture Barrier Backing | Crypton® Green Stain Resistance Crypton® Green Odor Resistance | 3.75" V, 5.4" H | 100,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I | W |
| CONNELLY | 100% Polyester Synthetic Latex Blend Backing | i-clean™ | (none) | 95,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I UFAC Class I | W |
| COUTURE | 57% Post Consumer Recycled Polyester, 25% Pre Consumer Recycled Polyester, 18% Polyester Acrylic Backing | Stain Resistant | 14.5" V, 14" H | 100,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I | WS |
| DORSET | 100% Polyester 100% Polyester Backing | i-clean™ | (none) | 55,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I UFAC Class I | W |
| ЕСНО | 100% Pre Consumer Recycled Polyester | Polyester Binder | 11.25" V, 6.75" H | 100,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I | WS |
| EVOKE | 24% Post Consumer Recycled Polyester, 29% Pre Consumer Recycled Polyester, 47% Polyester Acrylic Backing | (none) | .375" V, .1875" H | 100,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I | WS |
| OPEN HOUSE | 35% Post Consumer Recycled Polyester, 65% Pre Consumer Recycled Polyester | (none) | (none) | 250,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I | WS |
| PHRASE | 100% Post Consumer Recycled Polyester | (none) | 1.1875" V | 100,000 | 40 Hrs. Grade 4 | CAL TB 117-2013 NFPA 260 Class I | WS |

^{*}This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

CAL TB 133* This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. These patterns can be approved for California Technical Bulletin 133 use when used in conjunction with other suitable components. **Additional charges will apply**. Please contact Lesro customer service for additional information.

Cleaning Code Definitions

Water-based cleaning agents or foam may be used.
Clean with water-based cleaning agents, foam or pure, water-free solvents. Vacuuming or light brushing is recommended to prevent dust and soil build up.

For further cleaning and care instructions, please visit our website.

California Prop 65 and other regulatory compliance information can be found on our website for all Lesro products and upholsteries.



Technical Information

Express Selections - Vinyls & Polyurethanes

| Pattern | Fiber Content & Backing | Finish | Approx. Repeats | Abrasion (D.R.) | Flammability* | Special Properties |
|--------------|--|-----------------------------|--------------------|-----------------|---|--|
| CASTILLO | 100% Polyurethane 87% Polyester, 13% Cotton Backing | Antimicrobial i-clean™ | (none) | 200,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | PVC Free |
| CHAMBRAY | 100% Vinyl Urethane Topcoat, Hi-Loft²™ Backing | PBG+® Silverguard® | 18" V x 18" H | 100,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Antibacterial, Antifungal, Formaldehyde Free, Mildew Resistant, No Heavy Metals, Stain Resistant |
| DILLON | 100% Polyurethane 70% Polyester, 30% Cotton Backing | Antimicrobial | (none) | 200,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | PVC Free |
| IMPRESSION | 100% Phthalate Free PVC 100% Polyester Backing | Resilience ^{SR} | (none) | 250,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Formaldehyde Free, Lead Free,Phthalate Free |
| KALEIDOSCOPE | 100% Vinyl Urethane Topcoat, Hi-Loft²™ Backing | PBG+® Silverguard® | 18" V x 18" H | 100,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Antibacterial, Antifungal, Formaldehyde Free, Mildew Resistant, No Heavy Metals, Stain Resistant |
| LINETTE | 100% Vinyl 100% Polyester Backing | Antimicrobial i-clean™ | (none) | 100,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | |
| PATRIOT PLUS | 100% Vinyl Urethane Topcoat, 65% Polyester, 35% Cotton Backing | Permablok³® | (none) | 100,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Antibacterial, Antifungal, Formaldehyde Free, Mildew Resistant, No Heavy Metals, Stain Resistant |
| SILVERTEX | 100% Vinyl Urethane Topcoat, Hi-Loft²™ Backing | Permablok³® Silverguard® | (none) | 100,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Antibacterial, Antifungal, Formaldehyde Free, Mildew Resistant, No Heavy Metals, Stain Resistant |
| TWIST | 100% PVC 100% Brushed Polyester Knit Backing | Resilience ^{SR} | (none) | 250,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Formaldehyde Free, Lead Free,Phthalate Free |
| WHISPER | 100% Vinyl Urethane Topcoat, Hi-Loft²™ Backing | Napa | (none) | 100,000 | CAL TB 117-2013 NFPA 260 UFAC Class I | Antibacterial, Antifungal, Formaldehyde Free, Mildew Resistant, No Heavy Metals, Stain Resistant |

This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

CAL TB 133* This term and any corresponding data refer to typical performance in the tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. These patterns can be approved for California Technical Bulletin 133 use when used in conjunction with other suitable components. **Additional charges will apply**. Please contact Lesro customer service for additional information.

Care and Cleaning Instructions:

For easy cleaning of recent soiling, promptly wash with a mild soap solution. For a previously soiled area that has not yet penetrated the surface, scrub with a soft brush using a mild, non-abrasive cleaner. Cleaning frequency depends on use. Please clean and maintain your furniture regularly.

Clean all stains as quickly as possible and use the following cleaning procedure for the best results.

- Step 1: Remove any excess spills with a damp cloth. Clean with a mild liquid soap and water mixture. Rinse with clear water and dry.
- Step 2: Use a straight application of concentrated cleaners such as Formula 409® or Fantastik®. Rinse with clear water. Wipe with a clean cloth.
- Step 3: For more difficult stains, use a 10% mixture of bleach with water. Rinse with clear water and dry. Never use bleach in full strength to clean material.
- **Recommendation:** Please be sure to use a soft brush or cloth saturated with cleaning material. Always test cleaning methods on an inconspicuous area of the furniture. If stain persists, the stain probably has set. Although these materials are resistant to most common stains, some fabric dyes and ballpoint inks can create a permanent stain.
 - **Caution:** This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of these materials and all cleaning agents.

For further cleaning and care instructions, please visit our website.

California Prop 65 and other regulatory compliance information can be found on our website for all Lesro products and upholsteries.



Express Upholstery Selections are stocked at Lesro and available for orders requiring fast delivery upon request. Products with mixed Express Upholstery Selections are also available for fast delivery.

Turn to Lesro's Express Upholstery Selections for all your time-critical orders.







