



esi®



Send™ EX2-M

Dual motion monitor arm

Sena™ EX2-M

Dual motion monitor arm

esi®



grommet mount



desk clamp

Product specs

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 30" deep or less
- 30.4" height adjustment range
 - 0.0"-30.4" (low/high)
- 18.2" arm extension
- 2.9" arm retraction
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. - 19.8lb weight capacity (per arm)
- 20.1" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 270° / 135° arm rotation with 180° lock out
- 30.6" max monitor width
 - Bezel measured left to right
 - Max width is contingent on weight capacity
- Desk clamp and grommet mount included
- Meets or exceeds BIFMA x5.5 and CSA CAN/CGSB44.227 guidelines
- Warranty: 15 yr

Model

- ☐ SENAEX2-M-SLV
- ☒ SENAEX2-M-BLK
- ☐ SENAEX2-M-WHT

SenaEX monitor arm key

F - Fixed monitor arm
M - Motion monitor arm
S - Slider mount

Available mounting options

DC - Desk clamp
GM - Grommet mount

SenaEX for every need

- As workstation needs change, so can the SenaEX configurations. Additional components sold separately

Call our Customer Service Department for pricing for custom configurations.

Sena™ EX2-M

Dual motion monitor arm

esi.®

