

ofifran


TECHNICAL CATALOGUE CONCEPTO FREE 2020

TABLETOP CONFIGURATION


OPERATIVE




800 x 750




1250 x 600




1250 x 800




1450 x 800



1650 x 800



1850 x 800



2050 x 800


OCASIONAL



700 x 480




750 x 700



1450 x 750

MEETING



1200 x 750



1250 x 1200



1650 x 1200



1850 x 1200




2050 x 1200




2450 x 1200


MEETING




1200 x 750



3200 x 1200



3600 x 1200



4000 x 1200



1 The table top is made with a 25 mm thick MDP board covered with the latest generation melamine, available in unicolor and wood color with a soft textured surface finish or a non-reflective matte finish, edged with 2 mm thick edge. Complies with UNE-EN 14322 class E1 formaldehyde certification. (See page 130)



2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm. Chrome finish. It has a double steel profile beam system finished in high resistance anticorrosion epoxy paint, finished in RAL 9016 aluminum. Joined by T-shaped brackets in injected aluminum.


3 It is completed with a horizontal cable gland tray made of 1.5 mm thick sheet steel coupled to the beam to manage the wiring.

4 Structure provided with regulation system by means of anti-slip levelers of thread type to regulate in height ± 10 mm.

5 Assembly system

The mounting system is quick and easy with minimal use of hardware. The table structure supports the work tops and all accessories facilitating installation and reconfiguration.

6 Bench tables allow configurations of 4 or more workstations in which the central legs are set back from the edge of the table, facilitating mobility and usability.




PRODUCT CERTIFICATE

Concepto Free has passed the tests carried out at AIDIMA (Furniture PRODUCT CERTIFICATE Technological Institute) based on the standards:



- **UNE EN 527-1:01** Office furniture. Work tables. Part 1: Dimensions.
- **UNE EN 527-2:02** Office furniture. Work tables. Part 2: Mechanical safety requirements.
- **UNE EN 527-3:03** Office furniture. Work tables. Part 3: Test methods for determining the stability and mechanical resistance of the structure.
- **UNE EN 14073-2:05** Office furniture. Work tables and container furniture. Safety requirements.
- **UNE EN 14073-3:05** Office furniture. Work tables and container furniture. Test methods for determining the stability and strength of the structure.
- **UNE EN 14074-3:05** Office furniture. Work tables and filing furniture. Test methods for determining the resistance and durability of moving parts.

TECHNICAL DETAILS - OPERATIVE TABLE



800 x 750


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm.
- 3 Optional cable gland hidden under the table top.
- 4 Levelers for height adjustment ± 10 mm. Chromed finishing.
- 5 Optional modesty panels and privacy screen (Consult common elements)



TECHNICAL DETAILS - EXTENSION DESK





Dimensions:
Width: 600
Length: 1200




600 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm.
- 3 Optional cable gland hidden under the table top.
- 4 Levelers for height adjustment ± 10 mm. Chromed finishing.
- 5 Optional modesty panels and privacy screen (Consult common elements)
- 6 The mounting system is easy. The structure designed in a modular way to guarantee the greatest versatility and freedom of configuration.




TECHNICAL DETAILS - MEETING TABLE



1200 x 750


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm.
- 3 Levelers for height adjustment ± 10 mm. Chromed finishing.
- 4 Optional cable gland hidden under the table top.



TECHNICAL DETAILS - EXTENSION MEETING TABLE



Dimensions:
 Width: 1200
 Length: 1200, 1600, 1800,
 2000 and 2400



1200 x 720


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm.
- 3 Levelers for height adjustment \pm 10 mm. Chromed finishing.
- 4 Optional cable gland hidden under the table top.
- 5 Intermediate leg set back to allow better movement of users.



TECHNICAL DETAILS - OCCASIONAL TABLE




Dimensions:
Width: 700
Length: 750 y 1450



700 x 480


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm.
- 3 Levelers for height adjustment \pm 10 mm. Chromed finishing.



TECHNICAL DETAILS - RECEPTION UNIT





Dimensions:
Width: 600
Length: 1000 y 2000



600 x 1200

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 The sides of the table are made in the form of a goal with a 90 x 30 mm rectangular section hot-rolled steel profile and a thickness of 2 mm.
- 3 Levelers for height adjustment ± 10 mm. Chromed finishing.
- 4 Shelf and front panel made of 25 mm thick bi-laminated chipboard with 2 mm PVC edge.
- 5 Designed with a modular concept that allows the two dimensions of modules to be joined until the desired length is achieved.



ELECTRIFICATION

CABLE TRAY INTEGRATED IN OPERATING, MEETING AND MANAGEMENT TABLES




CABLE TRAY IN BENCH







- 1 Cable tray
- 2 Connector strip for electrification 2TSN + 1USB CARGA 5V / 2A + RJ45
- 3 Chrome grommet.
- 4 Simple cable gland *
- 5 Cable entry access cover *
- 6 * Available in anthracite and white finish



Anthracite





White



FINISHINGS


MELAMINE

WHITE
BLNORDIC PINE
PNESTELA OAK
RESIENA WALNUT
SNBLACK AMBER OAK
RZ

METAL




CHROME - 4




CODE EXAMPLE




CF019 80 RZ 4

	DIMENSIONS (MM)	REFERENCE	PKG	KG	M ³
	2050 x 800 x 750	CF01980	5	57,9	0,137
	1850 x 800 x 750	CF01981	5	54,9	0,133
	1650 x 800 x 750	CF01982	5	50,9	0,129
	1450 x 800 x 750	CF01983	5	45,4	0,120
	1250 x 800 x 750	CF01984	5	41,4	0,116
	1250 x 600 x 750	CF01903	5	37,0	0,103



MODESTY PANELS

	1700 x 350 x 20	F2100	2	8,5	0,015
	1500 x 350 x 20	F2101	2	8,0	0,014
	1300 x 350 x 20	F2102	2	7,0	0,012
	1100 x 350 x 20	F2103	2	6,0	0,011
	900 x 350 x 20	F2104	2	5,0	0,009



	DIMENSIONS (MM)	REFERENCE	PKG	KG	M ³
EXTENSIONS					
	1225 x 600 x 750	CF01904	2	31,5	0,075



MELAMINE SIDEBORD WITH SLIDING DOOR







BL AN





	1600 x 565 x 600	02125A	5	163,7	0,670
	1600 x 565 x 600	02125J	5	163,7	0,670

COFFEE TABLES

	750 x 700 x 480	CF01945	4	27,5	0,065
	1450 x 700 x 480	CF01946	4	39,5	0,086

	DIMENSIONS (MM)	REFERENCE	PKG	KG	M ³
MEETING TABLES					
	1250 x 1200 x 750	CF01920	5	55,0	0,128
	1650 x 1200 x 750	CF01923	5	67,5	0,145
	1850 x 1200 x 750	CF01924	5	73,0	0,151
	2050 x 1200 x 750	CF01921	5	77,5	0,157
	2450 x 1200 x 750	CF01922	5	90,5	0,171
	3200 x 1200 x 750	CF01925	8	123,0	0,244
	3600 x 1200 x 750	CF01926	8	134,0	0,256
	4000 x 1200 x 750	CF01927	8	143,0	0,268

	DIMENSIONS (MM)	REFERENCE	PKG	KG	M ³
RECEPTION UNITS					
	1000 x 600 x 1200	MOS01995	7	87,5	0,261
	2000 x 600 x 1200	MOS01996	9	130,0	0,366
EXTENSIONES DE MOSTRADORES					
	1000 x 600 x 1200	MOS01993	6	62,5	0,077
	2000 x 600 x 1200	MOS01994	6	62,5	0,077
MOSTRADORES MINUSVÁLIDOS					
	1200 x 740 x 750	MOS01991	7	51,5	0,129
	2000 x 740 x 750	MOS01992	7	83,1	0,174

	DIMENSIONS (MM)	REFERENCE	PKG	KG	M ³
GROMMETS					
		○ BL ● AN			
	Ø 80 x 22	AUX2028Z left hand drill	1	0,2	0,001
	Ø 80 x 22	AUX2028D right hand drill	1	0,2	0,001
	Ø 80 x 22	PAS2028 not drilled	1	0,2	0,001
	250 x 116	AUX7005Z left hand drill	1	0,2	0,001
	250 x 116	AUX7005D right hand drill	1	0,2	0,001
	250 x 116	AUX7005B drilled for bench	1	0,2	0,001
	250 x 116	AUX7005C center drill for meeting tables	1	0,2	0,001
	250 x 116	PAS7005 not drilled	1	0,2	0,001
 chrome	130 x 190	AUX7006Z left hand drill	1	1,0	0,001
	130 x 190	AUX7006D right hand drill	1	1,0	0,001
	130 x 190	PAS7006 not drilled	1	1,0	0,001
CABLE ACCESS TRAY					
		○ BL ● AN			
	900 x 180 x 90	AUX9041	1	2,0	0,030

	DIMENSIONS (MM)	REFERENCE	PKG	KG	M ³
DESKTOP ELECTRIFICATIONS					
		○ BL ● AN			
	Ø 70 x 79	AUX7014Z left hand drill	1	2,1	0,001
	Ø 70 x 79	AUX7014D right hand drill	1	2,1	0,001
	Ø 70 x 79	PAS7014 not drilled 1TSN+1USB charge 5V/2A	1	2,1	0,001
	144 x 79 x 50	AUX7007Z left hand drill	1	0,1	0,001
	144 x 79 x 50	AUX7007D right hand drill	1	0,1	0,001
	144 x 79 x 50	PAS7007 not drilled 1TSN+1USB charge 5V/2A	1	0,1	0,001
	166 x 79 x 50	AUX7008Z left hand drill	1	0,1	0,001
	166 x 79 x 50	AUX7008D right hand drill	1	0,1	0,001
	166 x 79 x 50	PAS7008 not drilled 2TSN+1USBC-D charge 5V/2A	1	0,1	0,001
CABLES AND ANCILLARY					
 only black	300 x 54 x 54 exempt electrification	AUX7003 2TSN+1USB charge 5V/2A+RJ45	1	0,5	0,001
	2 metros power cable - male schuko socket/ female rapid connector	PAS7022	1	0,1	0,001
	3 metros power cable - male schuko socket/ female rapid connector	PAS7023	1	0,1	0,001
	Vertebra technical cable organisation	PAS7020	1	0,1	1,001


Our electrifications are referenced with the European plug (type C). For any other country, consult the factory.

Length x Width x Hight


FINISHINGS

AUX7014Z
AUX2028Z

AUX7014D
AUX2028D



AUX7008B
AUX7007B
AUX7005B




* Recommended for Bench

AUX7008Z
AUX7007Z
AUX7005Z


AUX7008D
AUX7007D
AUX7005D

800 mm



AUX7008C
AUX7007C
AUX7005C

1200 mm



* It will be distributed equally if
there are more than one per table

ofifran

Within Ofifran Group, Operational Excellence means increasing our customer's satisfaction, our market position and financial results by ensuring continual quality and cost improvement in our processes, products and services. Deployment of Operational Excellence enables us to meet the commitments within our Quality Policy.

Dentro del Grupo Ofifran, la excelencia en nuestras operaciones significa aumentar la satisfacción de nuestros clientes, nuestra posición en el mercado así como los resultados económicos, mediante la garantía de una mejora continua en la calidad y coste de nuestros procesos, productos y servicios. El despliegue de esta excelencia operacional nos permite satisfacer los compromisos de nuestra Política de Calidad.

Dans le groupe Ofifran, l'excellence dans nos opérations signifie augmenter la satisfaction de nos clients, notre positionnement dans le marché et aussi les résultats économiques, par la garantie d'un amélioration continu de la qualité et des coûts de nos procédés, produits et services. L'ensemble de moyens de cette excellence opérationnelle nous permet de satisfaire les engagements de notre Politique de Qualité.

В своей деятельности группа Ofifran стремится соответствовать требованиям клиента, а также быть конкурентоспособной, гарантируя улучшение соотношения цена-качество самого производства и услуг. Таким образом, деятельность группы Ofifran позволяет выполнять обязательства по качеству нашей продукции.



UNE EN 14073-2:05
UNE EN 14073-3:05
UNE 14074:05

Certificado de Sistema de Gestión de la Calidad



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

OFIFRAN, S.L.

No está auditado y es conforme con los requisitos de la norma:

ISO 9001:2015

Sistema de gestión de la calidad. Requisitos

Para las siguientes actividades:

Diseño, fabricación y comercialización de mobiliario de oficina

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg
46182 - Pobl. de Valbuena
Valencia | España

Nº certificado: NA19.0013C

Fecha de renovación: 18 de octubre de 2019
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

Certificado de Sistema de Gestión Ambiental.



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

OFIFRAN, S.L.

No está auditado y es conforme con los requisitos de la norma:

ISO 14001:2015

Sistema de gestión ambiental. Requisitos con orientación para su uso

Para las siguientes actividades:

Diseño, fabricación y comercialización de mobiliario de oficina

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg
46182 - Pobl. de Valbuena
Valencia | España

Nº certificado: NA19.0014M

Fecha de renovación: 18 de octubre de 2019
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

Certificado de Sistema de Gestión de Ecodiseño.



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

OFIFRAN, S.L.

No está auditado y es conforme con los requisitos de la norma:

ISO 14006:2011

Sistema de gestión ambiental. Directrices para la incorporación del Ecodiseño

Para las siguientes actividades:

Diseño, fabricación y comercialización de mobiliario de oficina

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg
46182 - Pobl. de Valbuena
Valencia | España

Nº certificado: NA19.0015D

Fecha de renovación: 18 de octubre de 2019
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

Anexo al Certificado del Sistema de Gestión de Ecodiseño.



Anexo Número del certificado: NA19.0015D
(ISO14006:2011) de la empresa:

OFIFRAN, S.L.

Para las siguientes incorporaciones de productos:

OFICE (SOFIA, PIVOLANCE, SIELO, COMFORT, FREE, ELEMENTO, COMANDER);
DIRECCIONAL (GALLERY, FREESTOP, SIELOA, COMCEPT, SIRENA);
CLASSIC (SIELO CLASSIC, SIELO ARCADE, SIELO);
SEATING (SOFAS PIVOL, ADVANCE, EAST, RAY, CINCOVENTO, BANDEL, SQUARE,
SOFAS GALLERY, KAJEL, CLASSIC, CHESTER, BORDO);

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este anexo es un Anexo A y es susceptible de ser certificado de la norma ISO14006:2011 de KAIZEN S.L. Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

ofifran