

ofifran

TECHNICAL CATALOGUE LANCE 2020

TABLETOP CONFIGURATION

OPERATIVE

A




800 x 720 (h)

B



800 x 720 (h)




1200 x 800



1400 x 800



1600 x 800



1800 x 800




2000 x 800


BENCH




1630 x 720 (h)




1200 x 1630




1400 x 1630



1600 x 1630




1800 x 1630




2000 x 1630


EXECUTIVE




1630 x 720 (h)




1630 x 720 (h)




1415 x 1630




1615 x 1630



1815 x 1630




2015 x 1630



2215 x 1630


MEETING




1200 x 720 (h)




1200 x 1200




1600 x 1200



1800 x 1200



2000 x 1200




2400 x 1200

TECHNICAL DETAILS



1 The table top is made with a 25 mm thick MDP board covered with the latest generation melamine, available in unicolor and wood color with a soft textured surface finish or a non-reflective matte finish, edged with 2 mm thick edge. Complies with UNE-EN 14322 class E1 formaldehyde certification. (See finishes page 66)



2 Table structure with sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn, this wraps the short edge of the table and hides the cable gland system telescopic that unfolds under the table top. Side concealed cable grommet with development under the table top. High resistance anti-corrosion epoxy paint finish, finished in RAL 7016 (anthracite matt) and RAL9003 (semi-glosswhite). (See page 66)




3 Available two different side models, a model with a high profile, so that it only wraps the top and the electrifiable cross member, and an other model with a low profile that, in addition to wrapping the top and the electrifiable cross member, includes a column vertical cable gland and works as a side modesty panel. Vertical cable gland included in option B. (See page 64)

4 Structure provided with regulation system by means of anti-slip levelers of thread type to regulate in height ± 10 mm.

5 Assembly system

The structure has been designed in order to facilitate the installation and reconfiguration of workspaces. It is a very simple and fast mounting system with minimal use of screws.

6 Bench tables allow configurations of 4 or more workstations in which the central legs are set back from the edge of the table, facilitating mobility and usability.




PRODUCT CERTIFICATE


LANCE has passed the tests carried out at AIDIMA (Furniture PRODUCT CERTIFICATE Technological Institute) based on the standards:

- **UNE EN 527-1:01** Office furniture. Work tables. Part 1: Dimensions.
- **UNE EN 527-2:02** Office furniture. Work tables. Part 2: Mechanical safety requirements.
- **UNE EN 527-3:03** Office furniture. Work tables. Part 3: Test methods for determining the stability and mechanical resistance of the structure.
- **UNE EN 14073-2:05** Office furniture. Work tables and container furniture. Safety requirements.
- **UNE EN 14073-3:05** Office furniture. Work tables and container furniture. Test methods for determining the stability and strength of the structure.
- **UNE EN 14074-3:05** Office furniture. Work tables and filing furniture. Test methods for determining the resistance and durability of moving parts.

TECHNICAL DETAILS - OPERATIVE TABLE



800 x 720






800 x 720


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn,
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment ± 10 mm. Epoxy paint finish.
- 5 Vertical cable gland included in option B.
- 6 Optional vertical cable gland for option A.
- 7 Optional modesty panels and privacy screen (Consult common elements)
- 8 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.

Two different lateral models:


- A Model with a high profile that wraps the lid and an electrifiable crossbar.
- B Low profile model with wrapped lid and electrifiable crossbar. The design itself acts as a modesty panel.



TECHNICAL DETAILS - AUXILIAR DESK



600 x 720





600 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn,
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment \pm 10 mm. Epoxy paint finish.
- 5 Vertical cable gland included in option B.
- 6 Optional vertical cable gland for option A.
- 7 Optional modesty panels and privacy screen (Consult common elements)
- 8 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.

Two different lateral models:


- A Model with a high profile that wraps the lid and an electrifiable crossbar.
- B Low profile model with wrapped lid and electrifiable crossbar. The design itself acts as a modesty panel.



TECHNICAL DETAILS - EXECUTIVE TABLE




A



800 x 720


B




800 x 720

side cabinet options



a



b






c






* Top length: 1400, 1600, 1800 and 2000

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Table structure with sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn.
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment \pm 10 mm. Epoxy paint finish.
- 5 Modesty panel hanged and optional privacy panels.
- 6 Bookcase body with three options to choose:
a.- metallic, b.- melamine three drawings, c.- melamin drawing and file
- 7 Optional electrification systems
- 8 Vertical cable gland included in option B.
- 9 Optional vertical cable gland for option A.
- 10 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.




Two different lateral models:


- A Model with a high profile that wraps the lid and an electrifiable crossbar.
- B Low profile model with wrapped lid and electrifiable crossbar. The design itself acts as a modesty panel.



TECHNICAL DETAILS - BENCH SYSTEM

**A single lateral model:**

Low profile model that cover the top and electrifiable crossbar.






1630 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn,
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment ± 10 mm. Epoxy paint finish.
- 5 Vertical cable gland included in option B.
- 6 Optional modesty panels and privacy screen (Consult common elements)
- 7 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.

A **A single lateral model:**


Low profile model that cover the top and electrifiable crossbar.
The design works as a lateral modesty panel.



TECHNICAL DETAILS - EXTENSION BENCH SYSTEM





Dimensions:
 Width: 1630
 Length: 1200, 1400, 1600, 1800
 y 2000



1630 x 720


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Table sides made in form of gool with steel tube rectangular section of 50 x 50 mm and a thickness of 2 mm. Set back to allow better movement of users.
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment ± 10 mm. Epoxy paint finish.
- 5 Vertical cable gland optional.
- 6 Optional modesty panels and privacy screen (Consult common elements)
- 7 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.



TECHNICAL DETAILS - MEETING TABLE

**A single lateral model:**

High profile model that cover the top and electrifiable crossbar.




1200 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn,
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment ± 10 mm. Epoxy paint finish.
- 5 Vertical carter column optional.
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.
- 7 Optional electrification systems.

A single lateral model:


- A High profile model that cover the top and electrifiable crossbar.





TECHNICAL DETAILS - EXTENSION MEETING TABLE




Dimensions:
 Width: 1200
 Length: 1200, 1600, 1800,
 2000 y 2400



- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Table sides made in form of gool with steel tube rectangular section of 50 x 50 mm and a thickness of 2 mm.
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment ± 10 mm. Epoxy paint finish.
- 5 Vertical cable gland optional.
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.




TECHNICAL DETAILS - ROUND MEETING TABLE



Ø 1200 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Steel tube base with a round section of 100 x 100 mm and finished in epoxy paint.
- 3 Base made of 2 mm and 700 mm diameter sheet steel finished in epoxy paint.
- 4 Sides made of 1'5 mm laminated steel sheet thickness and 50 mm high sheet steel that surrounds the lid so that it is embedded inside it.
- 5 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.




TECHNICAL DETAILS - EXTENSION DESK




Dimensions:
Width: 600
Length: 800 y 1200

A



600 x 720

B







600 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Sides made of 1'5 mm laminated steel sheet thickness, folded and welded in such a way that the table top is embedded inside the side and in turn,
- 3 Electrification hidden on the side with development under the table top.
- 4 Levelers for height adjustment ± 10 mm. Epoxy paint finish.
- 5 Vertical cable gland included in option B.
- 6 Optional vertical cable gland for option A.
- 7 Optional modesty panels and privacy screen (Consult common elements)
- 8 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.

Two different lateral models:

- A Model with a high profile that wraps the lid and an electrifiable crossbar.
- B Low profile model with wrapped lid and electrifiable crossbar. The design itself acts as a modesty panel.




ELECTRIFICATION

CABLE TRAY INTEGRATED IN OPERATING, MEETING AND MANAGEMENT TABLES



CABLE TRAY IN BENCH



ELEMENTS



- 1 Connector strip for electrification 2TSN + 1USB CARGA 5V / 2A + RJ45
- 2 Vertical cable gland column
- 3 Side grommet cover *
- 4 Central cable gland cover *


* Available in anthracite and white finish



Anthracite






White




FINISHINGS


MELAMINE

WHITE
BLNORDIC PINE
PNESTELA OAK
RESIENA WALNUT
SNBLACK AMBER OAK
RZ


METAL



WHITE - 2






ANTHRACITE - 3






CODE EXAMPLE












LC 500 SN 3



	DIMENSIONS (MM)	CODE	PKG	KG	M ³
OPERATIVE TABLES					
	2000 x 800 x 720	LC500	4	52,5	0,165
	1800 x 800 x 720	LC501	4	49,5	0,168
	1600 x 800 x 720	LC502	4	45,5	0,160
	1400 x 800 x 720	LC503	4	42,5	0,150
	1200 x 800 x 720	LC504	4	39,5	0,146
	2000 x 800 x 720	LC600	4	52,5	0,165
	1800 x 800 x 720	LC601	4	49,5	0,168
	1600 x 800 x 720	LC602	4	45,5	0,160
	1400 x 800 x 720	LC603	4	42,5	0,150
	1200 x 800 x 720	LC604	4	39,5	0,146
MODESTY PANELS					
	1700 x 350 x 20	F2100	2	8,5	0,015
	1500 x 350 x 20	F2101	2	8,0	0,014
	1300 x 350 x 20	F2102	2	7,0	0,012
	1100 x 350 x 20	F2103	2	6,0	0,011
	900 x 350 x 20	F2104	2	5,0	0,009


	DIMENSIONS (MM)	CODE	PKG	KG	M ³
MEETING TABLES					
	Ø 1200 x 720	LC517	5	70,0	0,336
	2400 x 1200 x 720	LC665	5	82,5	0,246
	2000 x 1200 x 720	LC666	5	68,5	0,222
	1800 x 1200 x 720	LC667	5	64,0	0,215
	1600 x 1200 x 720	LC668	5	59,0	0,202
	1200 x 1200 x 720	LC669	5	56,0	0,186
MEETING TABLES EXTENSIONS					
	2400 x 1200 x 720	LC575	4	86,0	0,267
	2000 x 1200 x 720	LC576	4	64,5	0,218
	1800 x 1200 x 720	LC577	4	60,0	0,212
	1600 x 1200 x 720	LC578	4	55,5	0,206
	1200 x 1200 x 720	LC579	4	51,0	0,216

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
EXECUTIVE TABLES + METALLIC SIDEBOARDS					
	2000 + 215 x 1600 x 720	LC550	8	106,0	0,707
	1800 + 215 x 1600 x 720	LC551	8	103,0	0,703
	1600 + 215 x 1600 x 720	LC552	8	99,0	0,696
	1400 + 215 x 1600 x 720	LC553	7	96,0	0,690
	2000 + 215 x 1600 x 720	LC650	8	106,0	0,707
	1800 + 215 x 1600 x 720	LC651	8	103,0	0,703
	1600 + 215 x 1600 x 720	LC652	8	99,0	0,696
	1400 + 215 x 1600 x 720	LC653	7	96,0	0,690

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
EXECUTIVE TABLES + MELAMINE SIDEBOARDS					
	2000 + 215 x 1600 x 720	LC560A/J	9	209,7	0,382
TYPO A: drawer + file drawer	1800 + 215 x 1600 x 720	LC561A/J	9	206,7	0,378
	1600 + 215 x 1600 x 720	LC562A/J	9	202,7	0,376
TYPE J: 3 drawers	1400 + 215 x 1600 x 720	LC563A/J	9	199,7	0,367
<hr/>					
	2000 + 215 x 1600 x 720	LC660A/J	9	209,7	0,382
TYPE A: drawer + file drawer	1800 + 215 x 1600 x 720	LC661A/J	9	206,7	0,378
	1600 + 215 x 1600 x 720	LC662A/J	9	202,7	0,376
TYPE J: 3 drawers	1400 + 215 x 1600 x 720	LC663A/J	9	199,7	0,367

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
SIDE TABLE AND EXTENSIONS					
	800 x 600 x 720	LC542	4	24,5	0,098
	1200 x 600 x 720	LC543	4	31,0	0,114
	800 x 600 x 720	LC642	4	24,5	0,098
	1200 x 600 x 720	LC643	4	31,0	0,114
	800 x 600 x 720	LC512	5	21,5	0,075
	1200 x 600 x 720	LC513	5	25,7	0,081
	800 x 600 x 720	LC612	5	21,5	0,075
	1200 x 600 x 720	LC613	5	25,7	0,081
BENCH					
	2000 x 1630 x 720	LC580	6	101,0	0,314
	1800 x 1630 x 720	LC581	6	97,8	0,312
	1600 x 1630 x 720	LC582	6	90,0	0,311
	1400 x 1630 x 720	LC583	6	83,0	0,290
	1200 x 1630 x 720	LC584	6	77,8	0,282

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
BENCH EXTENSIONS					
	2000 x 1630 x 720	LC570	5	86,0	0,266
	1800 x 1630 x 720	LC571	5	80,0	0,258
	1600 x 1630 x 720	LC572	5	72,0	0,244
	1400 x 1630 x 720	LC573	5	66,0	0,236
	1200 x 1630 x 720	LC574	5	60,0	0,228
BENCH FOR SIDEBOARDS					
	2000 x 1630 x 720	LC555	7	101,0	0,360
	1800 x 1630 x 720	LC556	7	95,0	0,352
	1600 x 1630 x 720	LC557	7	87,0	0,338
	1400 x 1630 x 720	LC558	7	81,0	0,330
	1200 x 1630 x 720	LC559	7	75,0	0,322

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
METALLIC SIDEBOARD WITH SLIDING DOORS					
	1600 x 460 x 600	AM21	7	104,0	0,920

METALLIC SIDEBOARDS ACCESORIES

Metallic shelf

AM9035

1 2,0 0,050



Drawer

AM9040

1 5,0 0,050



Metallic rack

AM9039

1 5,0 0,050

MELAMINE SIDEBOARD WITH PEDESTAL AND SLIDING DOOR

1600 x 565 x 600

02125A





5 163,7 0,670






1600 x 565 x 600

02125J

5 163,7 0,670

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
PRIVACY SCREEN					
		○ BL ● RZ ● SN ● RE ● PN			
	1700 x 350 x 20	S2100	3	9,5	0,019
	1500 x 350 x 20	S2101	3	8,9	0,017
	1300 x 350 x 20	S2102	3	7,8	0,015
	1100 x 350 x 20	S2103	3	6,8	0,014
	900 x 350 x 20	S2104	3	5,7	0,012
UPHOLSTERED PRIVACY SCREEN					
	1700 x 630 x 20	S2150	4	11,7	0,023
	1500 x 630 x 20	S2151	4	11,1	0,021
	1300 x 630 x 20	S2152	4	9,7	0,018
	1100 x 630 x 20	S2153	4	8,4	0,016
	900 x 630 x 20	S2154	4	7,0	0,014
SIDE PRIVATIZATION PANEL					
		○ TR			
	600 x 350 x 5	S2155	1	1,0	0,001
SOUND ABSORBING PANEL					
		● GR			
	1400 x 550 x 18	S2202	1	-	0,017
	1118 x 550 x 18	S2203	1	-	0,013
	580 x 340 x 18	S2205	1	-	0,004

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
GROMMETS		○ BL ● AN			
	Ø 80 x 22	AUX2028Z left hand drill	1	0,2	0,001
	Ø 80 x 22	AUX2028D right hand drill	1	0,2	0,001
	Ø 80 x 22	PAS2028 not drilled	1	0,2	0,001
	250 x 116	AUX7005Z left hand drill	1	0,2	0,001
	250 x 116	AUX7005D right hand drill	1	0,2	0,001
	250 x 116	AUX7005B drilled for bench	1	0,2	0,001
	250 x 116	AUX7005C center drill for meeting tables	1	0,2	0,001
	250 x 116	PAS7005 not drilled	1	0,2	0,001
ELECTRIFICATIONS		○ BL ● AN			
	270 x 475 x 600	CQNEXO21	1	4,5	0,007
	53 x 50 x 560	AUX9039	1	1,0	0,010
only for high profile					

	DIMENSIONS (MM)	CODE	PKG	KG	M ³
DESKTOP ELECTRIFICATIONS					
○ BL ● AN					
	Ø 70 x 79	AUX7014Z left hand drill	1	2,1	0,001
	Ø 70 x 79	AUX7014D right hand drill	1	2,1	0,001
	Ø 70 x 79	PAS7014 not drilled 1TSN+1USB charge 5V/2A	1	2,1	0,001
	144 x 79 x 50	AUX7007Z left hand drill	1	0,1	0,001
	144 x 79 x 50	AUX7007D right hand drill	1	0,1	0,001
	144 x 79 x 50	PAS7007 not drilled 1TSN+1USB carga 5V/2A	1	0,1	0,001
	166 x 79 x 50	AUX7008Z left hand drill	1	0,1	0,001
	166 x 79 x 50	AUX7008D right hand drill	1	0,1	0,001
	166 x 79 x 50	PAS7008 not drilled 2TSN+1USBC-D charge 5V/2A	1	0,1	0,001
CABLES AND ANCILLARY					
 only black	300 x 54 x 54 exempt electrification	AUX7003 2TSN+1USB carga 5V/2A+RJ45	1	0,5	0,001
	2 metros power cable - male schuko socket/ female rapid connector	PAS7022	1	0,1	0,001
	3 metros power cable - male schuko socket/ female rapid connector	PAS7023	1	0,1	0,001
	Vertebra technical cable organisation	PAS7020	1	0,1	1,001


Our electrifications are referenced with the European plug (type C). For any other country, consult the factory.

Length x Width x Height


FINISHINGS

AUX7014Z
AUX2028Z

AUX7014D
AUX2028D





AUX7008B
AUX7007B
AUX7005B



* Recommended for Bench

AUX7008Z
AUX7007Z
AUX7005Z

AUX7008D
AUX7007D
AUX7005D



* It will be distributed equally if there are more than one per table

ofifran

Within Ofifran Group, Operational Excellence means increasing our customer's satisfaction, our market position and financial results by ensuring continual quality and cost improvement in our processes, products and services. Deployment of Operational Excellence enables us to meet the commitments within our Quality Policy.

Dentro del Grupo Ofifran, la excelencia en nuestras operaciones significa aumentar la satisfacción de nuestros clientes, nuestra posición en el mercado así como los resultados económicos, mediante la garantía de una mejora continua en la calidad y coste de nuestros procesos, productos y servicios. El despliegue de esta excelencia operacional nos permite satisfacer los compromisos de nuestra Política de Calidad.

Dans le groupe Ofifran, l'excellence dans nos opérations signifie augmenter la satisfaction de nos clients, notre positionnement dans le marché et aussi les résultats économiques, par la garantie d'un amélioration continu de la qualité et des coûts de nos procédés, produits et services. L'ensemble de moyens de cette excellence opérationnelle nous permet de satisfaire les engagements de notre Politique de Qualité.

В своей деятельности группа Ofifran стремится соответствовать требованиям клиента, а также быть конкурентоспособной, гарантируя улучшение соотношения цена-качество самого производства и услуг. Таким образом, деятельность группы Ofifran позволяет выполнять обязательства по качеству нашей продукции.



UNE EN 14073-2:05
UNE EN 14073-3:05
UNE 14074:05

Certificado de Sistema de Gestión de la Calidad



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

OFIFRAN, S.L.

No está auditado y es conforme con los requisitos de la norma:

ISO 9001:2015

Sistema de gestión de la calidad. Requisitos

Para las siguientes actividades:

Diseño, fabricación y comercialización de mobiliario de oficina

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg
46182 - Pobl. de Valbuena
Valencia | España

Nº certificado: NA19.0013C

Fecha de renovación: 18 de octubre de 2019
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

Certificado de Sistema de Gestión Ambiental.



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

OFIFRAN, S.L.

No está auditado y es conforme con los requisitos de la norma:

ISO 14001:2015

Sistema de gestión ambiental. Requisitos con orientación para su uso

Para las siguientes actividades:

Diseño, fabricación y comercialización de mobiliario de oficina

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg
46182 - Pobl. de Valbuena
Valencia | España

Nº certificado: NA19.0014M

Fecha de renovación: 18 de octubre de 2019
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

Certificado de Sistema de Gestión de Ecodiseño.



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

OFIFRAN, S.L.

No está auditado y es conforme con los requisitos de la norma:

ISO 14006:2011

Sistema de gestión ambiental. Directrices para la incorporación del Ecodiseño

Para las siguientes actividades:

Diseño, fabricación y comercialización de mobiliario de oficina

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg
46182 - Pobl. de Valbuena
Valencia | España

Nº certificado: NA19.0015D

Fecha de renovación: 18 de octubre de 2019
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este certificado otorgado en el momento de aprobarse el presente certificado de conformidad de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

Anexo al Certificado del Sistema de Gestión de Ecodiseño.



Anexo Número del certificado: NA19.0015D
(ISO14006:2011) de la empresa:

OFIFRAN, S.L.

Para las siguientes actividades/lineas de producto:

OFICE (OFFICE, PINK LANCE (SERIE), COMANDO FREE, ELEMENTOS COMANDO, DIRECTORIAL, GALLERY, FREESTOP, BELLA, COMCEPT, SERENA), CLASSIC (SERIE OFFICE, SERIE OFFICE), SEASING (SERIES PINK, ADVANCE, EAST, RAY, CINCOVENTI, BANGL SQUARE, SORNA GALLERY, KJEL, CLASSIC, CHESTER, BORDO)

Miguel Ángel Chueca Tolosa
Miguel Ángel Chueca Tolosa
Comisión de certificación



Este anexo es un anexo a un certificado de conformidad de la norma ISO14006:2011 de 2019 (ISO 14006:2011) de conformidad con el sistema de gestión de calidad KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA | valencia@kaizencertificacion.com | www.kaizencertificacion.com

ofifran