

ofifran

TECHNICAL CATALOGUE NEXO 2020

TABLETOP CONFIGURATION


OPERATIVE




800 x 720




1200 x 800




1400 x 800



1600 x 800



1800 x 800



2000 x 800


BENCH




1630 x 720




1200 x 1630




1400 x 1630



1600 x 1630




1800 x 1630




2000 x 1630


EXECUTIVE




800 x 720




1415 x 1630




1615 x 1630



1815 x 1630



2015 x 1630




2215 x 1630

MEETING



1200 x 720



1200 x 1200



1600 x 1200



1800 x 1200



2000 x 1200



2400 x 1200

## TECHNICAL DETAILS



**1** The table top is made with a 25 mm thick MDP board covered with the latest generation melamine, available in unicolor and wood color with a soft textured surface finish or a non-reflective matte finish, edged with 2 mm thick edge. Complies with UNE-EN 14322 class E1 formaldehyde certification. (See finishes page 100)



**2** The sides of the table are made in the form of a goal with a 50 x 50 mm square section hot-rolled steel profile and a thickness of 2 mm. Epoxy paint finish high resistance anti-corrosion, finished in RAL 7016 (matt anthracite) and RAL 9003 (semi-gloss white). (See page 100)


**3** It has a telescopic beam system that develops below the table top where it is completed with an optional cable tray in 1.5 mm sheet steel. horizontal and vertical thickness coupled to the beam or one of the columns of the table to manage the wiring. (See page 100)

**4** Structure provided with a regulation system using screw-type levellers to regulate in height  $\pm 10$  mm.

**5 Assembly system**

The mounting system is quick and easy with minimal use of hardware. The structure of the table supports the work tops and all accessories facilitating installation and reconfiguration.


**6** Bench tables allow configurations of 4 or more workstations in which the central legs are set back from the edge of the table, facilitating mobility and usability.




### PRODUCT CERTIFICATE

NEXO has passed the tests carried out at AIDIMA (Furniture PRODUCT CERTIFICATE Technological Institute) based on the standards:

- **UNE EN 527-1:01** Office furniture. Work tables. Part 1: Dimensions.
- **UNE EN 527-2:02** Office furniture. Work tables. Part 2: Mechanical safety requirements.
- **UNE EN 527-3:03** Office furniture. Work tables. Part 3: Test methods for determining the stability and mechanical resistance of the structure.
- **UNE EN 14073-2:05** Office furniture. Work tables and container furniture. Safety requirements.
- **UNE EN 14073-3:05** Office furniture. Work tables and container furniture. Test methods for determining the stability and strength of the structure.
- **UNE EN 14074-3:05** Office furniture. Work tables and filing furniture. Test methods for determining the resistance and durability of moving parts.





## TECHNICAL DETAILS - OPERATIVE TABLE



800 x 720


- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Table sides made in the form of a goal with a steel tube rectangular section of 50 x 50 mm and a thickness of 2 mm.
- 3 Optional cable gland hidden under the table top.
- 4 Levelers for height adjustment  $\pm 10$  mm. Epoxy paint finish.
- 5 Optional modesty panels and privacy screen (Consult common elements)
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.



## TECHNICAL DETAILS - SIDE EXTENSION




Dimensions:  
Width: 600  
Length: 800 y 1200



600 x 720




- 1 Table top made of 25 mm thick bi-laminated chipboard, edged with 2 mm PVC edge.
- 2 Table sides made in the form of a goal with a steel tube rectangular section of 50 x 50 mm and a thickness of 2 mm.
- 3 Optional cable gland hidden under the table top.
- 4 Levelers for height adjustment  $\pm 10$  mm. Epoxy paint finish.
- 5 Optional modesty panels and privacy screen (Consult common elements)
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.
- 7 Side extensions for operating table and meetings.
- 8 Simple anchoring system. Structure designed in a modular way to guarantee the greatest versatility and freedom of configuration.




TECHNICAL DETAILS - EXECUTIVE TABLE



side cabinet options






720 x 800




\* Top length: 1400, 1600, 1800 and 2000

- 1 The table top made of 25 mm thick bi-laminated chipboard plated with 2 mm PVC edge.
- 2 Table sides made in the shape of a goal with a rectangular section steel tube 50 x 50 mm and a thickness of 2 mm.
- 3 Levelers for height adjustment  $\pm 10$  mm Epoxy paint finish.
- 4 Hanging front apron and optional dividers.
- 5 Optional cable gland hidden under the table top.
- 6 Cabinet body with three different options to choose from:  
a.- metallic, b.- three drawers melamine, c.- drawer and file melamine.
- 7 Optional electrification systems.
- 8 Optional vertical cable gland.
- 9 Table structure and metal cabinet available in Anthracite finishes (RAL 7016) and White (RAL 9003)






## TECHNICAL DETAILS - BENCH




1630 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard with 2 mm PVC edge.
- 2 Table sides made in the form of gool with steel tube rectangular section of 50 x 50 mm and a thickness of 2 mm.
- 3 Levelers for height adjustment  $\pm 10$  mm Epoxy paint finish.
- 4 Optional cable gland hidden under the table top.
- 5 Drawers, dividers, complementary wings and electrification accessories available (See page 80)
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes





## TECHNICAL DETAILS - EXTENSION MEETING TABLE




1630 x 720


- 1 Table top made of 25 mm thick bi-laminated chipboard, veneered with 2 mm PVC edge.
- 2 Table sides made with a 50 x 50 mm rectangular section steel tube and a thickness of 2 mm. Set back for allow better movement of users.
- 3 Levelers for height adjustment  $\pm 10$  mm. Epoxy paint finish.
- 4 Optional cable gland hidden under the table top.
- 5 Drawers, dividers, complementary wings and electrification accessories available (See page 80)
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.
- 7 Optional vertical cable gland.
- 8 Central cable gland column integrated in the intermediate leg.



## TECHNICAL DETAILS - LATERAL SCREEN




1635 x 1360



1200 x 1360

- 1 Lateral screen of 1635 x 1015 mm, made of bilaminate chipboard of 19 mm thick veneered with edge 1 mm PVC.
- 2 1635 x 350 mm transparent separator made of 5 mm thick transparent insulating laminated cellular polycarbonate.
- 3 1200 x 1015 mm central screen, made of 19 mm thick bilaminate chipboard veneered with edge 1 mm PVC.
- 4 Transparent 1200 x 350 mm separator made of insulating transparent laminated cellular polycarbonate 5 mm thick.
- 5 Set of metal brackets to attach the screen to the table. Epoxy paint finish.
- 6 Protection accessory in transparent insulating laminated cellular polycarbonate 5 mm thick, mounted on a separator made of bilaminate chipboard 19 mm thick plated with 1 mm PVC edge.






Length x Width x Height




**FINISHINGS**

## TECHNICAL DETAILS - MEETING TABLE



1200 x 720


- 1 Table top made of 25 mm thick bi-laminated chipboard with 2 mm PVC edge.
- 2 Table sides made in the form of gool with steel tube rectangular section of 50 x 50 mm and a thickness of 2 mm.
- 3 Levelers for height adjustment  $\pm 10$  mm Epoxy paint finish.
- 4 Optional cable gland hidden under the table top.
- 5 Drawers, dividers, complementary wings and electrification accessories available (See page 80)
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes



## TECHNICAL DETAILS - EXTENSION MEETING TABLE





Dimensions:  
 Width: 1200  
 Length: 1200, 1600, 1800,  
 2000 y 2400




1200 x 720

- 1 Table top made of 25 mm thick bi-laminated chipboard, veneered with 2 mm PVC edge.
- 2 Table sides made with a 50 x 50 mm rectangular section steel tube and a thickness of 2 mm. Set back for allow better movement of users.
- 3 Levelers for height adjustment  $\pm 10$  mm. Epoxy paint finish.
- 4 Optional cable gland hidden under the table top.
- 5 Drawers, dividers, complementary wings and electrification accessories available (See page 80)
- 6 Structure available in Anthracite (RAL 7016) and White (RAL 9003) finishes.
- 7 Optional vertical cable gland.
- 8 Central cable gland column integrated in the intermediate leg.




## ELECTRIFICATION

## CABLE TRAY INTEGRATED IN OPERATING, MEETING AND MANAGEMENT TABLES



## CABLE TRAY IN BENCH



## ELEMENTS



- 1 Cable tray
- 2 Connector strip for electrification 2TSN+1USB CARGA 5V/2A+RJ45
- 3 Vertical cable gland.
- 4 Cable management central column with retracted leg.
- 5 Side cable gland cover.
- 6 Central cable gland cover.

Available in Anthracite and white finish







Anthracite




White

## FINISHINGS


## MELAMINE

WHITE  
BLNORDIC PINE  
PNESTELA OAK  
RESIENA WALNUT  
SNBLACK AMBER OAK  
RZ


## METAL



WHITE - 2






ANTHRACITE - 3












CODE EXAMPLE






NX 500 RE 3

	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>OPERATIVE TABLES</b>					
	2000 x 800 x 720	NX600	4	63,5	0,215
	1800 x 800 x 720	NX601	4	60,5	0,209
	1600 x 800 x 720	NX602	4	83,5	0,201
	1400 x 800 x 720	NX603	4	80,5	0,196
	1200 x 800 x 720	NX604	4	74,0	0,191
<b>EXTENSIONS</b>					
	2000 x 800 x 720	NX630	4	62,5	0,205
	1800 x 800 x 720	NX631	4	59,5	0,199
	1600 x 800 x 720	NX632	4	82,5	0,191
	1400 x 800 x 720	NX633	4	79,5	0,186
	1200 x 800 x 720	NX634	4	73,0	0,181
<b>MODESTY PANELS</b>					
	1700 x 350 x 20	F2100	2	8,5	0,015
	1500 x 350 x 20	F2101	2	8,0	0,014
	1300 x 350 x 20	F2102	2	7,0	0,012
	1100 x 350 x 20	F2103	2	6,0	0,011
	900 x 350 x 20	F2104	2	5,0	0,009

	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>EXECUTIVE TABLES + METALLIC SIDEBOARD</b>					
	2000 + 215 x 1600 x 720	NX650	7	110,5	0,801
	1800 + 215 x 1600 x 720	NX651	7	99,5	0,721
	1600 + 215 x 1600 x 720	NX652	7	96,8	0,713
	1400 + 215 x 1600 x 720	NX653	7	94,5	0,708
<b>EXECUTIVE TABLES + MELAMINE SIDEBOARD</b>					
	2000 + 215 x 1600 x 720	NX660A/J	7	240,2	0,397
	1800 + 215 x 1600 x 720	NX661A/J	7	237,2	0,393
TYPE A: drawer + file drawer	1600 + 215 x 1600 x 720	NX662A/J	7	208,2	0,386
	1400 + 215 x 1600 x 720	NX663A/J	7	205,2	0,382
	TYPE J: 3 drawers				
<b>EXTENSIONS</b>					
	800 x 600 x 720	NX612	3	21,2	0,100
	1200 x 600 x 720	NX613	3	25,7	0,011
<b>SIDE TABLE</b>					
	1200 x 600 x 720	NX643	4	30,5	0,240


	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>MEETING TABLES</b>					
	Ø 1200 x 720	NX617	4	27,0	0,036
	Ø 900 x 720	NX616	4	25,0	0,020
	Ø 900 x 425	NX646	4	25,0	0,020
	Ø 900 x 1125	NX626	4	25,0	0,020

	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>MEETING TABLES</b>					
	2400 x 1200 x 720	NX665	5	90,5	0,500
	2000 x 1200 x 720	NX666	5	82,5	0,479
	1800 x 1200 x 720	NX667	5	78,0	0,470
	1600 x 1200 x 720	NX668	5	75,0	0,460
	1200 x 1200 x 720	NX669	5	68,0	0,431
<b>MEETING TABLES EXTENSIONS</b>					
	2400 x 1200 x 720	NX675	4	86,0	0,267
	2000 x 1200 x 720	NX676	4	64,5	0,218
	1800 x 1200 x 720	NX677	4	60,0	0,212
	1600 x 1200 x 720	NX678	4	55,5	0,206
	1200 x 1200 x 720	NX679	4	51,0	0,216





	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>BENCH</b>					
	2000 x 1630 x 720	NX680	6	104,5	0,498
	1800 x 1630 x 720	NX681	6	94,0	0,448
	1600 x 1630 x 720	NX682	6	88,5	0,378
	1400 x 1630 x 720	NX683	6	84,0	0,368
	1200 x 1630 x 720	NX684	6	81,0	0,358

**BENCH EXTENSIONS**

	2000 x 1630 x 720	NX670	5	86,0	0,266
	1800 x 1630 x 720	NX671	5	80,0	0,258
	1600 x 1630 x 720	NX672	5	72,0	0,244
	1400 x 1630 x 720	NX673	5	66,0	0,236
	1200 x 1630 x 720	NX674	5	60,0	0,228

	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>SCREEN DIVIDER</b>					
	1635 x 1360 x 20	S2220	4	27,7	0,051
	1200 x 1360 x 20	S2221	3	18,4	0,033

○ BL ● RZ ● SN ● RE ● PN

	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>PRIVACY SCREEN</b>					
		○ BL ● RZ ● SN ● RE ● PN			
	1700 x 350 x 20	S2100	3	9,5	0,019
	1500 x 350 x 20	S2101	3	8,9	0,017
	1300 x 350 x 20	S2102	3	7,8	0,015
	1100 x 350 x 20	S2103	3	6,8	0,014
	900 x 350 x 20	S2104	3	5,7	0,012
<b>UPHOLSTERED PRIVACY SCREEN</b>					
	1700 x 630 x 20	S2150	4	11,7	0,023
	1500 x 630 x 20	S2151	4	11,1	0,021
	1300 x 630 x 20	S2152	4	9,7	0,018
	1100 x 630 x 20	S2153	4	8,4	0,016
	900 x 630 x 20	S2154	4	7,0	0,014
<b>SIDE PRIVATIZATION PANEL</b>					
		○ TR			
	600 x 350 x 5	S2155	1	1,0	0,001
<b>SOUND ABSORBING PANEL</b>					
		● GR			
	1400 x 550 x 18	S2202	1	-	0,017
	1118 x 550 x 18	S2203	1	-	0,013
	580 x 340 x 18	S2205	1	-	0,004

	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
--	----------------	------	-----	----	----------------

**CABLE ACCESS TRAY**
 BL  AN


900 x 180 x 90

AUX9041


1 2,0 0,030

**VERTICAL CARTER**


53 x 50 x 560

AUX9039

1 1,0 0,010



53 x 50 x 560

only for intermediate bench legs and meeting table legs

AUX9040

1 1,0 0,010



	DIMENSIONS(mm)	CODE	PKG	KG	M <sup>3</sup>
<b>DESKTOP ELECTRIFICATIONS</b>					
		○ BL ● AN			
	Ø 70 x 79	AUX7014Z left hand drill	1	2,1	0,001
	Ø 70 x 79	AUX7014D right hand drill	1	2,1	0,001
	Ø 70 x 79	PAS7014 not drilled 1TSN+1USB charge 5V/2A	1	2,1	0,001
	144 x 79 x 50	AUX7007Z left hand drill	1	0,1	0,001
	144 x 79 x 50	AUX7007D right hand drill	1	0,1	0,001
	144 x 79 x 50	PAS7007 not drilled 1TSN+1USB carga 5V/2A	1	0,1	0,001
	166 x 79 x 50	AUX7008Z left hand drill	1	0,1	0,001
	166 x 79 x 50	AUX7008D right hand drill	1	0,1	0,001
	166 x 79 x 50	PAS7008 not drilled 2TSN+1USBC-D charge 5V/2A	1	0,1	0,001
<b>CABLES AND ANCILLARY</b>					
 only black	300 x 54 x 54 exempt electrification	AUX7003 2TSN+1USB carga 5V/2A+RJ45	1	0,5	0,001
	2 metros power cable - male schuko socket/ female rapid connector	PAS7022	1	0,1	0,001
	3 metros power cable - male schuko socket/ female rapid connector	PAS7023	1	0,1	0,001
	Vertebra technical cable organisation	PAS7020	1	0,1	1,001


Our electrifications are referenced with the European plug (type C). For any other country, consult the factory.

Length x Width x Hight


**FINISHINGS**

AUX7014Z  
AUX2028Z

AUX7014D  
AUX2028D




AUX7008B  
AUX7007B  
AUX7005B




\* Recommended for Bench

AUX7008Z  
 AUX7007Z  
 AUX7005Z

AUX7008D  
 AUX7007D  
 AUX7005D



AUX7008C  
 AUX7007C  
 AUX7005C



\* It will be distributed equally if there are more than one per table

# ofifran

Within Ofifran Group, Operational Excellence means increasing our customer's satisfaction, our market position and financial results by ensuring continual quality and cost improvement in our processes, products and services. Deployment of Operational Excellence enables us to meet the commitments within our Quality Policy.

Dentro del Grupo Ofifran, la excelencia en nuestras operaciones significa aumentar la satisfacción de nuestros clientes, nuestra posición en el mercado así como los resultados económicos, mediante la garantía de una mejora continua en la calidad y coste de nuestros procesos, productos y servicios. El despliegue de esta excelencia operacional nos permite satisfacer los compromisos de nuestra Política de Calidad.

Dans le groupe Ofifran, l'excellence dans nos opérations signifie augmenter la satisfaction de nos clients, notre positionnement dans le marché et aussi les résultats économiques, par la garantie d'un amélioration continu de la qualité et des coûts de nos procédés, produits et services. L'ensemble de moyens de cette excellence opérationnelle nous permet de satisfaire les engagements de notre Politique de Qualité.

В своей деятельности группа Ofifran стремится соответствовать требованиям клиента, а также быть конкурентоспособной, гарантируя улучшение соотношения цена-качество самого производства и услуг. Таким образом, деятельность группы Ofifran позволяет выполнять обязательства по качеству нашей продукции.



UNE EN 14073-2:05  
UNE EN 14073-3:05  
UNE 14074:05

**Certificado de Sistema de Gestión de la Calidad**



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

**OFIFRAN, S.L.**

No está auditado y es conforme con los requisitos de la norma:

**ISO 9001:2015**

Sistema de gestión de la calidad. Requisitos

Para las siguientes actividades:

**Diseño, fabricación y comercialización de mobiliario de oficina**

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg  
46182 - Pobl. de Vallboya  
Valencia | España

Nº certificado: NA19.0013C

Fecha de renovación: 18 de octubre de 2019  
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa  
Comisión de certificación



Este certificado otorgado en el momento de haberse cumplido los requisitos de la norma ISO 9001:2015 de certificación de sistemas de gestión de calidad.  
KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA  
certificacion@kaizencertificacion.com | www.kaizencertificacion.com

**Certificado de Sistema de Gestión Ambiental.**



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

**OFIFRAN, S.L.**

No está auditado y es conforme con los requisitos de la norma:

**ISO 14001:2015**

Sistema de gestión ambiental. Requisitos con orientación para su uso

Para las siguientes actividades:

**Diseño, fabricación y comercialización de mobiliario de oficina**

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg  
46182 - Pobl. de Vallboya  
Valencia | España

Nº certificado: NA19.0014M

Fecha de renovación: 18 de octubre de 2019  
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa  
Comisión de certificación



Este certificado otorgado en el momento de haberse cumplido los requisitos de la norma ISO 14001:2015 de certificación de sistemas de gestión de calidad.  
KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA  
certificacion@kaizencertificacion.com | www.kaizencertificacion.com

**Certificado de Sistema de Gestión de Ecodiseño.**



Kaizen Auditoría y Certificación (Certifica que el sistema de gestión de la organización)

**OFIFRAN, S.L.**

No está auditado y es conforme con los requisitos de la norma:

**ISO 14006:2011**

Sistema de gestión ambiental. Directrices para la incorporación del Ecodiseño

Para las siguientes actividades:

**Diseño, fabricación y comercialización de mobiliario de oficina**

Que se realizan en:

C/ Milla, 21. Pol. Ind. Gütemberg  
46182 - Pobl. de Vallboya  
Valencia | España

Nº certificado: NA19.0015D

Fecha de renovación: 18 de octubre de 2019  
Fecha de expiración: 17 de octubre de 2022

Miguel Ángel Chueca Tolosa  
Comisión de certificación



Este certificado otorgado en el momento de haberse cumplido los requisitos de la norma ISO 14006:2011 de certificación de sistemas de gestión de calidad.  
KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA  
certificacion@kaizencertificacion.com | www.kaizencertificacion.com

**Anexo al Certificado del Sistema de Gestión de Ecodiseño.**



Anexo Número del certificado: NA19.0015D  
(ISO 14006:2011) de la empresa:

**OFIFRAN, S.L.**

Para las siguientes incorporaciones de productos:

OFICE (SOFIA, PIVOLANCE, SIELO, COMANDO FREE, ELEMENTOS COMANDOS);  
DIRECCIONAL (GALLERY, FREESTOP, SIELOA, COMANDO, SERRANA);  
CLASSIC (SIELO CLASSIC, SIELO CLASSIC (MUEBLES));  
SEATING (SOFAS PIVOL, ADVANCE, EAST, RAY, CINCOVENI, BANDEL SQUARE,  
SOFAS GALLERY, KJEL, CLASSIC, CHESTER, BORDADA).

Miguel Ángel Chueca Tolosa  
Comisión de certificación



Este anexo es un Anexo A y es susceptible de certificación de la norma ISO 14006:2011 de certificación de sistemas de gestión de calidad.  
KAIZEN CERTIFICACION, S.L. | C/ Leandra de Santiago, 4 - 7 VALBUENA  
certificacion@kaizencertificacion.com | www.kaizencertificacion.com

**ofifran**